

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---------------------------------------|--------------------|------------------|---------|------------------|
| L1 | 1601 | stabilizer adj bar | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:16 |
| L2 | 100286 | bushing bushings | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:16 |
| L3 | 16965 | support adj (ring rings) | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:16 |
| L4 | 20399 | (end stop) adj (ring rings) | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:17 |
| L5 | 0 | 1 and 2 and 3 and 4 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:17 |
| L6 | 36417 | 3 4 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:17 |
| L7 | 4 | 1 and 2 and 6 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:18 |
| L8 | 326 | sway adj bar | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:18 |
| L9 | 3 | 3 and 8 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:19 |
| L10 | 366 | 1 and 2 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:19 |
| L11 | 200 | 1 same 2 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:19 |
| L12 | 453 | electrical adj resistance adj welding | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:20 |
| L13 | 1894 | 1 8 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:20 |
| L14 | 1 | 12 and 13 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:21 |
| L15 | 6438 | resistance adj welding | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:22 |
| L16 | 5 | 13 and 15 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:21 |
| L17 | 2652 | resistance adj (welded weld welds) | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:22 |
| L18 | 0 | 13 and 17 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:23 |
| L19 | 414734 | weld welding welded welds | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:23 |
| L20 | 772 | 13 and 19 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 14:23 |
| L21 | 224 | 13 same 19 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:01 |

| | | | | | | |
|-----|---------|--|------------------------------|----|-----|------------------|
| L22 | 30 | ("2078367" "2275637" "2446621" "2448769" "2808270" "2951710" "4132430" "4732407" "4740012" "4834416" "4883260" "5080334" "5190269" "5224790" "5413374" "5540420" "5692767" "5843264" "5884926" "5887859" "6094818" "6145858" "6286821").PN. OR ("6845995"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/12 14:31 |
| L23 | 2 | ("2275637").URPN. | USPAT | OR | OFF | 2005/12/12 14:36 |
| L24 | 8 | ("2972489" "20020121733" "20020 149167" "3104097" "3140378" "535 2055" "5630609" "5857800" "61233 52" "6255631").PN. | USPAT | OR | OFF | 2005/12/12 14:36 |
| L25 | 126 | ("0210560" "1806176" "1832138" "1952955" "2062290" "2294398" "2347044" "2441304" "2592130" "2706114" "2738185" "2784606" "3033587" "3056852" "3181885" "3366356" "3552765" "3603760" "3627360" "3703113" "3752515" "4030741" "4033535" "4033605" "4068750" "4108507" "4116572" "4140413" "4149336" "4152099" "4192529" "4246464" "4252339" "4327927" "4373827" "4428697" "4469349" "4621831" "4637750" "4640639" "4692053" "4745245" "4763951" "4765769" "4799818" "4804288" "4880318" "4890946" "4902156" "4948288" "5000368" "5074724" "5085535" "5090066" "5102160" "5145273" "5201545" "5290018" "5302046" "5352055" "5353055" "5393160" "5439310" "5453149" "5458393" "5509864" "5518819" "5603581" "5678845" "5810958" "5833542" "5848469" "5865362" "5966813" "5968304" "5981921" "6104012" "Re18144").PN. OR ("2972489" "3104097" "3140378" "5352055" "5630609" "5857800" "6123352" "6255631").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/12 14:39 |
| L26 | 1040446 | rod shaft | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:01 |

| | | | | | | |
|-----|---------|--------------------------------|--------------------|----|-----|------------------|
| L27 | 1660911 | collar ring stop flange | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:02 |
| L28 | 305621 | 26 same 27 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:03 |
| L29 | 52 | 12 and 28 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:17 |
| L30 | 1763228 | rod shaft tube pipe | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:17 |
| L31 | 160634 | collar | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:18 |
| L32 | 54942 | 30 with 31 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:18 |
| L33 | 5 | 17 same 32 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:19 |
| L34 | 1050985 | resistance | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:19 |
| L35 | 1094 | 32 same 34 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:19 |
| L36 | 72 | 19 same 35 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:19 |
| L37 | 535211 | antisway bar | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:42 |
| L38 | 9 | antisway adj bar | US-PGPUB; USPAT | OR | OFF | 2005/12/12 16:42 |
| L39 | 970 | 219/56,56.22,58,61.2,156.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/12/12 17:17 |
| L40 | 3 | 1 and 39 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 17:17 |
| L41 | 170 | antisway antiroll | US-PGPUB; USPAT | OR | OFF | 2005/12/12 17:18 |
| L42 | 0 | 39 and 41 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 17:18 |
| L43 | 52 | 19 and 41 | US-PGPUB; USPAT | OR | OFF | 2005/12/12 17:18 |